

## Plastic Net for Agriculture and Construction



# Introduction of Our Company



CNBM, China National Building Material Group Corporation is the largest group corporation in China for building materials and equipment industry. It was incorporated in 1984 upon the approval from the State Council. It is one of the 143 large-scale groups under the administration of the State - owned Assets Supervision and Administration Commission of the State Council. There are over 300 subordinate factories and companies in our Group; the business scope of CNBM covers from manufacturing and sales of building materials to scientific research and design, engineering, import and export trade.

CNBM International Corporation, as an important external business platform of CNBM Group, enjoys competitive advantages in importing and exporting of building materials as well as complete sets of machinery and equipments, engineering, and project contracting.

The Fifth department, we are specialized in offering series of PE Nettings, PE films and Tarpaulins for Agriculture and construction industry as follows:

## PE Woven Net

Sunshade Net  
Ground Cover  
Olive Net  
Anti-Insect Net  
Anti-Bird Net  
Anti-Wind Net  
Scaffolding Net  
Shade Sail  
Beach Net  
Trampoline Net

## PE Extruded Net

BOP Net  
Plant Support Net  
Anti-Bird Net  
Warning Fence

## PE FILM

Drop Sheet / Dust Cover  
Construction Film  
Agriculture Film

## PE Tarpaulins

PE Geta Tarpaulin / Leno Tarpaulin  
PE Tarpaulin

## Artificial Grass

Sports Grass  
Leisure Grass

## Woven bag

Mesh Bag  
Woven Bag

All these products are widely used in agriculture and construction. We have perfect technical inspection facilities, advanced quality-control system and great production capacity, all which ensure good quality as well as timely delivery.

# Content

<	<b>PE Woven Net</b>	
	▪ Sunshade Net	1
	▪ Ground Cover	3
	▪ Olive Net	4
	▪ Anti-Insect Net	5
	▪ Anti-Bird Net	6
	▪ Anti-Wind Net	7
	▪ Scaffolding Net	8
	▪ Shade Sail	9
	▪ Beach Net	10
	▪ Trampoline Net	11
<	<b>PE Extruded Net</b>	
	▪ BOP Net	12
	▪ Plant Support Net	13
	▪ Anti-Bird Net	14
	▪ Warning Fence	15
<	<b>PE Film</b>	
	▪ Drop Sheet / Dust Cover	16
	▪ Construction Film	17
	▪ Agriculture Film	18
<	<b>PE Tarpaulins</b>	
	▪ PE Geta Tarpaulin / Leno Tarpaulin	19
	▪ PE Tarpaulin	20
<	<b>Artificial Grass</b>	
	▪ Sports Grass	21
	▪ Leisure Grass	22
<	<b>Woven bag</b>	
	▪ Mesh Bag	23
	▪ Woven Bag	24




## Sunshade Net

### Introduction:

It is woven by High-density polyethylene (HDPE) UV stabilised tape filament or mono filament, and it is good product to shade the plant. It is widely used in agriculture, and horticulture.



1170-70g



2150-50g



3190-90g




3170-70g




3490-90g



3490-90g



6014-140g



3485-85g

Based on order, other weaves are also available.

### Specifications:

Material base fabric	Fabric Weight	Shade Factor	Uv. Content	Temperature range
HDPE	30gsm to 200gsm, Standard Weight: 30gsm, 45gsm, 60gsm, 75gsm, 80gsm, 90gsm, 120gsm, 140gsm, 160gsm	60%, 70%, 80%, 90%	0.3% or 0.5%	-40~+80°C

Width: 1m, 1.5m, 2m, 3m, 4m, 5m, 6m, 8m

Length: 20m, 50m, 100m

Color: Black, Green, Dark Green, Blue / White, Green / White

Minimum life length: 4 years, under normal weather conditions and use.



### Applications:

Shading meshes for solar protection of crops.

Restricting ultraviolet ray action on plants.

Reducing humidity loss in soil.

Enhances plant airing.

Protection against extreme temperatures.



### Packing:

Rolls on cardboard tubes & wrapped in plastic.



## Ground Cover

### Introduction:

It is a black woven fabric, made of 100% polyethylene, stabilized with U.V. additives for many years of outdoor use. It is placed along the aisle to control weed growth, reducing both labor costs and pesticides.



Based on order, other weaves are also available.

### Specifications:

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	80gsm up to 200gsm Standard weight: 90gsm, 100gsm, 110gsm, 120gsm	0.3% or 0.5%	-40 ~ +80°C

Width: 1m, 2m, 4m

Length: 50m, 100m

Color: Color: Black with Green line, Black with Blue line, White with Black line.

Minimum life length: 4 years, under normal weather conditions and use.

### Applications:

Effective weed control

Optimum water permeability

Ensure efficient drainage and cleanable surfaces

### Packing:


Rolls on cardboard tubes & wrapped in plastic.



## Olive Net

### Introduction:

It is weaved by High-density polyethylene (HDPE) UV stabilized mono filament, and is ideal for making panels for olive-harvest.



Based on order, other weaves are also available.

### Specifications:

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	33gsm to 150gsm Standard Weight: 33gsm, 35gsm, 65gsm, 90gsm, 100gsm, 115gsm	0.3% or 0.5%	-40 ~ +80°C

Size: in pieces: 4mx6m, 4mx8m, 5mx8m, 5mx10m, 6mx8m, 6x6m, 6mx12m, 8mx10m etc.

In rolls: 4m x 100m, 5m x100m, 6m x 100m

Color: Black, Green, Dark Green

Minimum life length: 4 years, under normal weather conditions and use.

### Applications:

Avoiding almost completely the contact between fruit and soil.

Providing precious help for preserving a very low rate of acidity at the total advantage of final product.

Waterproof, in case of rain or snow doesn't absorb water.

### Packing:

In pieces with plastic bag, and several pieces per bale with PP woven bag outside, or in rolls with inner paper tube with plastic bag outside






## Anti-Insect Net

### Introduction:

It is woven by High-density polyethylene (HDPE) UV stabilized mono filament, and is widely used in greenhouse construction.



80g 15x15/inch

110g 25x25/inch

125g 25x40/inch

145g 25x50/inch

Based on order, other weaves are also available.

### Specifications:

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	40gsm to 200gsm Standard Weight: 40gsm, 80gsm, 90gsm, 100gsm, 125gsm, 145gsm	0.3% or 0.5%	-40 ~ +80°C

Width: 1m, 2m, 3m, 4m, 5m, 6m (can be joined to 12m)

Length: 20m, 50m, 100m

Color: Transparent, other color also available

Minimum life length: 4 years, under normal weather conditions and use.

### Applications:

Being an effective protection against insects like white fly, etc.

Helping reduce the use of phytosanitary products against insects/plagues.

Allowing maximum ventilation in hot seasons.



### Packing:

Rolls on cardboard tubes & wrapped in plastic.



## Anti-Bird Net

### Introduction:

It is woven by High-density polyethylene (HDPE) UV stabilized mono filament or tape filament, and is widely used as protection net against bird and other animals.



35g 2cm x 2cm



25g 1cm x 1cm

Based on order, other weaves are also available.

### Specifications:

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	25gsm up to 100gsm Standard Weight: 25gsm, 35gsm, 40gsm	0.3% or 0.5%	-40 ~ +80°C

Width: 1m, .5m, 2m, 4m, 10m

Length: 20m, 50m, 100m

Color: Black, Green, Dark Green


Minimum life length: 4 years, under normal weather conditions and use.



### Applications:

Protecting against birds on all kind of crops.

Improving agricultural outputs.



### Packing:

Rolls on cardboard tubes & wrapped in plastic.

## Anti-Wind Net

### Introduction:

It is weaved by High-density polyethylene (HDPE) UV stabilized mono filament, and is very useful as windbreak and protection net.



180g



500g-black



500g-grey



500g-green

Based on order, other weaves are also available.

### Specifications:

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	80gsm up to 500gsm Standard Weight: 80gsm, 110gsm, 180gsm	0.3% or 0.5%	-40 ~ +80°C

Width: 1m, 1.5m, 2m, 3m, 4m

Length: 2m, 5m, 10m, 20m

Color: Black, Green, Dark Green

Minimum life length: 4 years, under normal weather conditions and use.

### Applications:

Stopping and depositing suspended material (dust, sand, leaves etc.) at the foot of the net.

Sheltering different orchard Protecting against excessive sunshine guaranteed to last for years.

Protecting crops against the inclemency of the weather (wind, hail, etc)

### Packing:

Rolls on cardboard tubes & wrapped in plastic.




## Scaffolding Net

### Introduction:

It is weaved by High-density polyethylene (HDPE) UV stabilized mono filament, and enables a comfortable and safe working place on the scaffold.



6501-135g



9301-80g



9401-180g



6501-200g

### Specifications:

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	40gsm to 200gsm Standard Weight: 60gsm, 70gsm, 80gsm, 90gsm, 100gsm, 130gsm, 140gsm, 160gsm	0.3% or 0.5%	-40 ~ +80°C

Width: 1m, 1.5m, 2m, 3m, 4m, 5m, 6m

Length: 20m, 50m, 100m

Color: Black, Green, Dark Green

Minimum life length: 4 years, under normal weather conditions and use.

### Applications:

Against loosening or falling of construction materials or tools on building sites.

Helping adhere to construction industry security regulations.

Screening of fences and shading on construction

Protecting passers-by from falling debris



### Packing:

Rolls on cardboard tubes & wrapped in plastic.



## Shade Sail

### Introduction:

It is a perfect outdoor fabric. Designed to breathe, it allows cooling breezes to flow through, significantly reducing temperatures beneath. It prevents from tearing and fraying and ensures colors remain vivid for years.



CMAX-6140 Beige CMAX-6140 Light Blue CMAX-6140 Light Green CMAX-6130 Beige CMAX-6130 Blue CMAX-6210 Yellow

Based on order, other weaves are also available.

### Specifications:

Material base fabric	Fabric Weight	Uv. Content
HDPE	100gsm up to 300gsm Standard weight: 130gsm, 140gsm, 210gsm, 230gsm	0.5%

Width: 1m, 2m, 4m, 6m

Length: 5m, 10m, 50m

Color: Beige, Yellow, Green, or any colors.

### Applications:

Keep you cooler and more comfortable in hot weather  
Ideal for areas shared by plants and people



### Packing:

In rolls or sheets in transparent plastic film bags with labels inside, and loosely loaded into the container or pallet.

## Beach Net

### Introduction:

It is a perfect outdoor fabric. Designed to breathe, it allows cooling breezes to flow through, significantly reducing temperatures beneath. It prevents from tearing and fraying and ensures colors remain vivid for years.



CMAX001 CMAX002 CMAX003 CMAX004 CMAX005 CMAX006

Based on order, other weaves are also available.

### Specifications:

Material base fabric	Fabric Weight	Uv. Content
HDPE	180gsm up to 350gsm Standard weight: 180gsm, 200gsm, 300gsm, 350gsm	0.5%

Width: 1m, 2m,

Length: 5m, 10m, 50m

Color: Orange, Yellow, Green, or any colorful stripes

### Applications:

Keep cool on the beach  
Ideal for areas shared by plants and people



### Packing:

In rolls or sheets in transparent plastic film bags with labels inside, and loosely loaded into the container or pallet.

## Trampoline Net

### Introduction:


It is a perfect safety net; it is weaved by HDPE with 0.3% Uv. Factor.



CMAX-4360



CMAX-4360



CMAX-4300

Based on order, other weaves are also available

### Specifications

Material base fabric	Fabric Weight	Uv. Content
HDPE	300gsm, 360gsm	0.3%

Size: 3 x 4M.

Color: Beige, Yellow, Blue, or any colors.

### Application

Keep children safe.



### Packing

In sheets in transparent plastic film bags with labels inside, and loosely loaded into the container or pallet.

## BOP Net

### Introduction:


These products are used as anti-deer net, animal fence, packing net, pallet net, plant support net, and net for agricultural use.




15GSM



6GSM



25GSM



55GSM

### Specifications

Material	MESH SIZE(MM)	Weight(g/m <sup>2</sup> )	Width
PE/PP	6X6MM, 8X8MM, 12X12MM, 20X36MM, 25X25MM, 35X60MM, 60X60MM, 130X130MM, 150X150MM	6GSM, 10GSM, 15GSM, 25GSM, 35GSM, 55GSM From 6gsm to 55gsm	1M, 1.2M, 2M, 4M

Mesh Type: Square or rectangular

Based on order, other weaves are also available.

Color: Black, Green, White, Red, Grey, Any color is available.

Minimum life length: 4 years, under normal weather conditions and use.

### Applications:

These products are used as anti-deer net, animal fence, packing net, pallet net, plant support net, and net for agricultural use.



### Packing:

Packed by rolls in plastic film bags with labels inside and then loosely loaded in the container or small packs in cartons.







## Extruded Plant Support Net

### Introduction:

It is extruded by High-density polyethylene (HDPE) UV stabilized.



Plant Support Net-8gsm



Plant Support Net-10gsm

Based on order , other weaves are also available

### Specifications:

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	8gsm and 10gsm Standard weight: 8gsm, 10gsm	0.3% or 0.5%	-40 ~ +80℃

Mesh Size: 130X130mm, 150X150mm

Weight: 8gsm,10gsm

Width: 1m, 1.2m, 1.5m, 1.7m, 2m

Length: 1000m, 500m, 100m, 50m, 30m, 10m

Color: green/brown/white/red

### Applications:

Plant support net ,used as vertical support for all climbing vegetables. It provides better supports and growth for melons, tamatoes, cucumbers, french beans, peppers and all other climbing plants.



### Packing:

in rolls in transparent plastic film bags with labels outside, and loosely loaded into the container.



## Extruded Anti-Bird Net

### Introduction:

It is extruded by High-density polyethylene (HDPE)



Anti-Bird Net-8gsm



Anti-Bird Net-35gsm

Based on order , other weaves are also available

### Specifications

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	8gsm and 35gsm Standard weight: 8gsm, 35gsm	0.3% or 0.5%	-40 ~ +80℃

Mesh Size: 15X15cm,12x12cm

Weight: 8g/m2,35g/m2

Size: 2X4m/2X5m/2X10m/4X6m/4X12m/2x100m

Color: green/brown/white/red

### Applications:

It is widely used as protection net against bird and other animals.



### Packing:


in roll into plastic woven bag with labels inside, then into carton.



## Warning Fence / Safety Net

### Introduction:

Warning net is also named as warning barrier, safety fence and snow fence. It adopts PE as major raw material with UV added in manufactured through plasticizing. The main color is orange, designed for warning; it is featured with high strength, ageing resistance, anti-corrosion, softness and portability, and recycles.



BR Series  
Weight: 80gsm  
Hole size: 100×40mm

BR Series  
Weight: 120g/m²  
Mesh: 100×26mm

BR Series  
Weight: 160g/m²  
Mesh: 66×26mm

SR Series  
Weight: 100g/m²  
Mesh: 65×35mm

SR Series  
Weight: 140g/m²  
Mesh: 50×50mm

### Specifications:

Material base fabric	Fabric Weight	Uv. Content	Temperature range
HDPE	80gsm up to 200gsm Standard weight: 100gsm, 110gsm, 120gsm, 140gsm, 160gsm	0.3% or 0.5%	-40 ~ +80°C

Width: 1m, 1.2m, 1.5m, 1.8m

Length: 50m, 100m

Color: Orange, Yellow, Green,

### Applications:

Temporary safety fence

As a barrier to separate spectators from the participants in sports events

High-way safety, construction safety, industrial filter, environmental protection, groundwork disposal



### Packing:

In rolls in transparent plastic film bags with labels inside, and loosely loaded into the container or pallet.



## Drop Sheet / Dust Cover

### Introduction:

This product is made by HDPE (High Density Polyethylene) or LDPE (Low Density Polyethylene), it has the perfect featuring such as durable, slip-resistant, environmental protective, antiseptic, dustproof, damp proof, waterproof, they are popular both at home and abroad.

### Specifications:

Material base fabric	Thickness	Width	Length
HDPE or LDPE	6micron - 160micron	2m-10m	5m, 12m, 25m, 50m

Color: any color

Size: in sheet: 4m x 5m, 4m x 12m, etc.

in roll: 2m x 25m, 2m x 50m, 4m x 25m, etc.

### Applications:

Keep our furniture against dirt, moisture, debris, dust and other contaminants (furniture cover)

Dust proof, waterproof and damp proof.

Table cover.

### Packing:

in sheet then in cartons, or in roll with PP woven bag outside, then in container.





## Construction Film

### Introduction:

This product is made by HDPE (High Density Polyethylene) or LDPE (Low Density Polyethylene); it is also called as protective film, surface protective film or building base film, it has the good characteristics, such as strong toughness, aging-resistant, water pressure resistant, permeating-defending, ultra-violet radiation resistant, corrosion resistant, acid and alkaline proof.

### Specifications:

Material base fabric	Thickness	Width	Length
HDPE or LDPE	20micron-250micron	2m-10m	5m, 12m, 25m, 50m

Color: white, yellow, blue, black, green and any others.

Size: in roll: 2m x 25m, 2m x 50m, 4m x 25m, etc.

### Applications:

For road, airport, oil depot, geo-technological building, tunnel, sewage disposal and underground building, etc.  
PE shrinkage film to wrap cartons or pallets.



### Packing:

In roll with PP woven bag outside, then in container.



## Agriculture Film

### Introduction:

This product is made by HDPE (High Density Polyethylene) or LDPE (Low Density Polyethylene), it is also called green house film, which is widely used in agriculture.

### Specifications:

Material base fabric	Thickness	Width	Length
HDPE or LDPE	10micron- 250micron	2m-10m	5m, 12m, 25m, 50m

Color: any color

Size: in roll: 2m x 25m, 2m x 50m, 4m x 25m, 4m x 50m, 4m x 100m, etc.

### Applications:

To enhance crop growing environment and increase output.

As the cover of greenhouse, it can raise local temperature of the shed, rain-resistant

As the ground cover of greenhouse, it can keep moisture and raise the soil temperature, it can also keep the cleanness of crops leaves and fruits.



### Packing:

in roll with PP woven bag outside, then in container.




## PE Geta Tarpaulin / Leno Tarpaulin

### Introduction

Natural Leno weave, 100% split yarn 2400 Denier; Getapolyne fabric reinforced by PP rope in hem on all around edges; Both sides laminated, UV - stabilized. HDPE Leno mesh with two sides laminate by LDPE

### Specification

Weight	Density	Size	Color	Denier
100g/m <sup>2</sup> -300g/m <sup>2</sup>	3'3/ sq. inch	2*25M, 2*50M, 2*100M, other size also available	Transparent color with natural weaving, green, blue	750-3000 Denier




### Applications:

PE Geta can be widely used as the cover as well as other usage.

Industrial: Covers for general use, scaffoldings in construction sites, underground sheets, Covers for materials, roofs, road repair sites, fences

Agricultural: Agricultural Green House



### Packing

- 1.For rolls , packed in a plastic bag with a label between rolls and bag
- 2.For Getapolyne sheets, each piece in a polybag with insert paper and some pieces in a carton, or same color bale packing

## PE Tarpaulin

### Introduction:

PE fabric both sides laminated, reinforced by PP rope in hem on all around edges; Aluminum eyelets every 1 meter or 3' or 1yd interval (30cm, 50cm interval also available); UV. FR treatment also available

### Specification:

Weight	Density / sq. inch	Size	Color	Denier
70g/m <sup>2</sup> -300g/m <sup>2</sup>	7*6, 7*7, 8*7, 8*8, 10*8, 10*10, 12*12, 14*14, 16*16	2*3m, 3*4m, 4*6m, other size also available	Any color available	750-3000 Denier

### Application

PE Tarpaulin can be widely used in as the cover as well as other usage. It can be used in industrial, agricultural, garden and home.

Industrial: Covers for general use, scaffoldings in construction sites, underground sheets,

Covers for truck, cars, boats, containers, warning tapes,

Covers for materials, roofs, road repair sites, fences

Agricultural: Covers for timber, hay, cotton and all kinds of crops

Covers for daring crops

Home/Garden use: Covers for garden, backyard use

Covers for furniture

Gazebo tentd, dining canopies, swimming pool covers



### Packing


- 1.For rolls , packed in a plastic bag with a label between rolls and bag
- 2.For Tarpaulin sheets, Each piece in a polybag with a label then proper pieces in a carton box packing or same color bale packing



## Sports Grass

### Introduction:

Our sports grass yarns are made of PP (polypropylene), PE (polyethylene) materials. Bionics principle is adopted on our artificial grass thus it looks like natural grass. It is widely used in sports fields.



CMAX-SG-40mm

CMAX-SG-50mm

CMAX-SG-20mm

CMAX-SG-10mm

Based on order, other weaves are also available

### Specifications

- 1) Pile height: 10mm, 20mm, 32mm, 40mm, and 50mm
- 2) Yarn: 2800DTEX, 3600DTEX, 4000DTEX, 4200DTEX, 8800DTEX, 10000DTEX
- 3) Tufts density: 12300 tufts/m<sup>2</sup>, 10500tufts/m<sup>2</sup>, 14700tufts/m<sup>2</sup>, 72500tufts/m<sup>2</sup>
- 4) Gauge: 3/4", 3/16" , 5/16" ETC
- 5) Secondary backing: SBR latex
- 6) Roll Width: 2m-4m
- 7) Roll length: According to requests (maximum 72 linear meters)
- 8) Color: Meadow gree

### Application

It is widely used in sports field. Suitable for soccer field, golf field, tennis courts, multi-purpose sports stadium and other venues



### Packing


In roll with PP woven bag outside, then in container.



## Leisure Grass

### Introduction:

Our grass yarns are made of PP (polypropylene), PE (polyethylene) or PA (polyamide) materials. Bionics principle is adopted on our artificial grass thus it looks like natural grass. It can reduce the injury of high temperature surface by the friction between skin and surface. So it is safe for children and pets



CMAX-LG-001

CMAX-LG-002

CMAX-LG-003

CMAX-LG-004

Based on order, other weaves are also available

### Specifications

- 1) Pile height: 8mm, 10mm, and 14mm
- 2) Yarn: 2800DTEX, 3600DTEX, 4200DTEX
- 3) Tufts density: 48000 tufts/m<sup>2</sup>, 52000tufts/m<sup>2</sup>, 63000tufts/m<sup>2</sup>, 99840tufts/m<sup>2</sup>
- 4) Gauge: 3/4", 3/16" , 5/16" ETC
- 5) Secondary backing: SBR latex
- 6) Roll Width: 2m-4m
- 7) Roll length: According to requests (maximum 72 linear meters)
- 8) Color: Meadow green

### Application

It is widely used in outdoor decoration. It is a perfect material to decorate your garden, rooftop, hotel, park, and other leisure ground.



### Packing

In roll with PP woven bag outside, then in container.



## Mesh Bag

### Introduction:

It is weaved by High-density polyethylene (HDPE/PP), used as packing vegetable and fruit, such as onion, carrot, garlic, cabbage, lemon, pecans, etc.



Mesh bag

PP leno mesh bag

Purple

Red

Based on order, other weaves are also available.

### Specifications

Material : PE/PP

Weight: 17g/bag, 18g/bag, 22g/bag, any weight as demands.

Size: 50×80CM, 40×60CM, 42×60CM, 45×75CM, any size as demands.

### Feature:

- 1) Top: hemmed /with drawstring or without handle is available
- 2) Bottom: sealed., single /double folded ,single.double
- 3) Capacity: bags with or without drawstring for packed weight from 1kg to 55kg

### Application

It is used as packing vegetable and fruit, such as onion, carrot, garlic, cabbage, lemon, pecans, etc.

### Packing

2000pcs/bale, 3000pcs/bale, 6000pcs/bale, Or according your requests. Container capacity: 12tons/20GP, 23tons/40GP, 25tons/40HQ.



## Woven Bag

### Introduction:

This products is made by PP (Propene Polymer), it is used for Packing rice, flour, sugar, sand, fertilizer and so on. Other products available: container bag, bulk bag, big bag, jumbo bag, woven fabric.



### Specifications

Material base fabric	Fabric Weight	CaCO3 Content	size	Yarn
virgin PP	40g/m <sup>2</sup> —200g/m <sup>2</sup> AS customer's requirements.	5%-20%	Width: from 30cm to 70cm Length: as per Customer's requirements	From 600 to 1,500D, as per your requirements

Color: white, black, yellow, multi-colors, as per your requirements

Warp x weft: 10 x 10, 12 x 12, 14 x 14, as per your requirements

Line density: 111tex

Top: to heat cut and/or hemmed

Bottom: single folded or double folded

Printing: on one side or both sides, in one color or multi-colors

### Application

The product are widely used in the storage and transportation of agricultural products, mineral products, chemical products, light industry products, etc

### Packing

500pcs/bale, 1000pcs/bale. with plastic bag outside, then in container.

